



Maternal health And Maternal Morbidity in Ireland

Depression and anxiety in primiparous women before and during early pregnancy

### International Confederation of Midwives Congress Prague 2014

Margaret Carroll

Associate Professor in Midwifery/Research Assistant, Trinity College Dublin
Principal Investigators

Professor Cecily Begley, TCD and Professor Mike Clarke, QUB (Adjunct Professor TCD)



#### Sincerest thanks to

- The women (all women including those who are not taking part but who read the information)
- My colleagues Deirdre Daly, Deirdre O'Malley, Francesca Wuytack,
   Sunita Panda, Louise Rafferty
  - Rebekah Maguire and Sophie Clare who worked with us on the MAMMI study in summer 2012
- The Health Research Board (HRB) for funding a number of projects on the MAMMI study
- Professor Stephanie Brown, Murdoch Children's Research Instituta
   Australia for granting permission to use and modify surveys





A special thanks to

The midwives and midwifery students

- The IT Midwives

The medical records staff

Administrative and other colleagues who are supporting the MAMMI study













Maternal health And Maternal Morbidity in Ireland

This presentation will focus on

### Depression and anxiety in primiparous women before and during early pregnancy

(Data from women enrolled up to April 2014, n=1215 and from the antenatal survey)

#### The presentation will include

- Overview of study methodology
- Aim and objectives of the MAMMI Study MH Strand
- Prevalence of depression and anxiety before and during early pregnancy
- Key take home message







# Mixed methods design The MAMMI Study



A cohort study with 2,000 firsttime mothers: public, private, semi-private – survey.












### Mixed methods design



postpartum






### Mixed methods design

The MAMMI study

after giving birth

Study No

Study No



All-Ireland Hub

Study No

**Trinity College Dublin** 

The MAMMI study arch study of 1600 first-time mothers' health during prep after giving birth Survey Booklet One: Antenatal Thank you for taking the time to complete this survey. It will take you about complete it and your answers are confidential. If you have any questions at survey, or need help answering any of the questions, please feel free to call The MAMMI survey has been approved by the Research Ethics Committees Hospital and the Faculty of Health Sciences, Trinity College Dublin. Please tick here if you do NOT wish to complete this or future surveys Survey 1

**Antenatal** First booking visit

Survey Booklet Two: 3 Months Postnatal Survey Booklet Three: 6 Months Postnatal to complete it and your answers are confidential. If you have any part of this survey, or need help answering any of the questions, p me - Deirdre Daly on 01 ######. and your answers are confidential. If you have any questions about any part of this sa totunda Hospital and the Faculty of Health Sciences, Trinity Colleg The MANAMI curvey has been approved by the Research Ethics Committees of the Ro the Faculty of Health Sciences, Trinity College Dublin If you do not want to complete this or future surveys please tick Please tick here if you do not want to complete this or receive future survey. Survey 2 3 months postpartum

The MAMMI stud

A research study of 1600 first-time mothers' health dur

Study No

Survey 3 6 months postpartum

swering any of the questions, please feel free to call me - Deirdre Daly on 01 ####

minutes to complete it and your answers are confidential. If you have any question bout any part of this survey, or need help answering any of the questions, please fee free to call me - Deirdre Daly on 01 ####### The MAMMI survey has been approved by the Research Ethics Committees of the tunda Hospital and the Faculty of Health Sciences, Trinity College Dublic Please tick here if you do not want to complete this or receive future surveys Survey 4 9 months postpartun

Survey Booklet Four: 9 Months Postnatal

The MAMMI study

A research study of 1600 first-time mothers' health during pregnancy an

Study No

**Data** collection from women's records



**Interviews** with women experiencing a morbidity



To ascertain health service and self-help seeking behaviour

**Identify factors** amenable to modification and trialling in future studies

The MAMMI study

Maternal health And Maternal Morbidity in Ireland

A research study of 1600 first-time mothers' health during pregnancy and

Survey Booklet Five: Twelve Months Postnatal

minutes to complete it and your answers are confidential. If you

after giving birth



The MAMMI Study




Mental

health

All-Ireland Hub





**Intimate** partner violence

2000 primiparous women

(A/N, 3, 6, 9 and 12 months postpartum)

General

health

Data collection from women's records

One-to-one interviews with women experiencing a morbidity

(n=20-30)

**Faecal** incontinence

Urinary incontinence **Pain** 







All-Ireland Hub

#### Aim:


To identify the existence, extent, prevalence and associated risk factors for mental distress (MH) in 2000 primiparous women before, during and in the 12 months after pregnancy.







Today's presentation focuses on the prevalence of depression and anxiety (MH) before and during early pregnancy








Today's presentation focuses on the prevalence of depression and anxiety (MH) before and during early pregnancy

- Anytime before pregnancy
- In the 12 months before pregnancy
- 3. In early pregnancy
- 4. DASS-21







#### **Definition – Depression and Anxiety**

#### Depression

- Feeling depressed, low mood or sad (lasting two weeks or more)
- As measured using the DASS (Depression Anxiety Stress Scales (DASS-21)

#### Anxiety

- Intense anxiety (such as panic attacks)
- As measured using the DASS (Depression Anxiety Stress Scales (DASS-21)

## Depression, Anxiety and Stress Scales DASS-21

- DASS consists of 3 self-reported scales that measure mental distress in relation to depression, anxiety and stress
- Can discriminate between depression, anxiety and stress
- DASS-21 is a shortened version of the full 42 itemed DASS
- Each scale (depression, anxiety and stress)
   contains 7 items, is rated on a 4 point likert scale,
   and is about emotional states in the past week



#### The MAMMI study



#### Preliminary data

- 40% of primiparous women are being offered information on the MAMMI study
- Of those given the information, just under two in five complete the survey
- Response rate (37%)



#### Nationality (n=1215)



Nationality	The MAN	IMI Study		ital 2012 ) (all women)
	n	%	n	%
Irish	786	64.5	5957	65.4
EU	312	25.7	1929	21.2
Non-EU	98	8.1	1217	13.3
Not stated	21	1.7	13	0.1



#### Age groups (n=1215)



Age group	The MAN	IMI Study		ital 2012 (primiparae)
	n	%	n	%
18 to 24	104	8.6	872	22.2
25 to 29	297	24.5	1031	26.2
30 to 34	502	41.4	1307	33.3
35 to 39	268	22.1	577	14.7
40 and over	42	3.5	141	3.6



#### Age groups (n=1215)



Age group	The MAN	IMI Study		ital 2012 (primiparae)
	n	%	n	%
18 to 24	104	8.6	872	22.2
25 to 29	297	24.5	1031	26.2
30 to 34	502	41.4	1307	33.3
35 to 39	268	22.1	577	14.7
40 and over	42	3.5	141	3.6



#### BMI categories (n=1114)




BMI categories	Т	The MAMMI Study		Site ho	ospital
ВМІ		n	%	n	%
Underweight (≤ 18	Underweight (≤ 18.49)		6.1	Not reported	
Ideal (18.5-24.9)		746	67.0		
Overweight (25-29.9)		193	17.3		
Obese (30-34.9)		88	7.9		
Very obese (≥ 35)		19	1.7		





Prevalence of depression before & during early pregnancy



#### Depression before pregnancy (anytime)

	Anytime before pregnancy		
	n = 1210 %		
Never	828	68.4	
Rarely / Occasionally	353	29.2	
Often	29	2.4	

#### Depression before pregnancy (12 months)

	Anytime before pregnancy			
	n = 1210	%	n = 1207	%
Never	828	68.4	938	77.2
Rarely / Occasionally	353	29.2	242	20.2
Often	29	2.4	27	2.2

#### **Depression during early pregnancy**

	Anytime before pregnancy		12 months before pregnancy		During of pregna	early ncy
	n = 1210	%	n = 1207	%	n = 1211	%
Never	828	68.4	938	77.2	934	77.1
Rarely / Occasionally	353	29.2	242	20.2	256	21.1
Often	29	2.4	27	2.2	21	1.7

## Depression before and during early pregnancy

	Anytime before pregnancy		12 months before pregnancy		During early pregnancy	
	n = 1210	%	n = 1207	%	n = 1211	%
Never	828	68.4	938	77.2	934	77.1
Rarely / Occasionally	353	29.2	242	20.2	256	21.1
Often	29	2.4	27	2.2	21	1.7

### Depression in early pregnancy using DASS-21

"Over the past week,"	During early pregnancy		
Over the past week,	n = 1179	%	
Normal	877	74.4	
Mild	102	8.7	
Moderate	104	8.8	
Severe	28	2.4	
Extremely severe	68	5.8	


### Depression in early pregnancy

			"Over the past week,	During of pregna				
	n = 1211	%	• • • •	n = 1179	%			
Never	934	77.1	Normal	877	74.4			
Rarely / Occasionally	256 21.1	256	256	256 21 1	21 1	Mild	102	8.7
Occasionally		Moderate	104	8.8				
Often	21	17	Severe	28	2.4			
Often	21 1.7	1.7	Extremely severe	68	5.8			





**Prevalence of** anxiety before & during early pregnancy



#### **Anxiety before pregnancy (anytime)**

	Anytime pregn	before ancy
	n = 1208	%
Never	935	77.4
Rarely / Occasionally	255	21.1
Often	18	1.5

#### **Anxiety before pregnancy (12 months)**

	Anytime before pregnancy			ns before nancy
	n = 1208	%	n = 1206	%
Never	935	77.4	1032	85.6
Rarely / Occasionally	255	21.1	156	13.0
Often	18	1.5	18	1.5

#### **Anxiety during early pregnancy**

	Anytime before pregnancy		12 months before pregnancy		During early pregnancy	
	n = 1208	%	n = 1206	%	n = 1211	%
Never	935	77.4	1032	85.6	1050	86.9
Rarely / Occasionally	255	21.1	156	13.0	145	12.0
Often	18	1.5	18	1.5	13	1.1

# Anxiety before and during early pregnancy

	Anytime before pregnancy		12 months before pregnancy		During early pregnancy	
	n = 1208	%	n = 1206	%	n = 1211	%
Never	935	77.4	1032	85.6	1050	86.9
Rarely / Occasionally	255	21.1	156	13.0	145	12.0
Often	18	1.5	18	1.5	13	1.1

#### Anxiety in early pregnancy using DASS-21

"Over the past week,"	During early pregnancy		
,	n = 1176	%	
Normal	656	55.9	
Mild	202	17.2	
Moderate	115	9.8	
Severe	75	6.4	
Extremely severe	127	10.8	

#### **Anxiety in early pregnancy**

During early pregnancy

127

10.8

**During early** 

pregnancy

	prognancy		"Over the past week,"	prognancy	
	n = 1211	%	week,"	n = 1176	%
Never	1050	86.9	Normal	656	55.9
Rarely / Occasionally	145	12.0	Mild	202	17.2
			Moderate	115	9.8
			Severe	75	6.4

**Extremely** 

severe

1.1

13

Often

## Depression and anxiety in early pregnancy using DASS-21

	Depre	ession	Anxiety		
	n = 1179	%	n = 1176	%	
Normal	877	74.4	656	55.9	
Mild	102	8.7	202	17.2	
Moderate	104	8.8	115	9.8	
Severe	28	2.4	75	6.4	
Extremely severe	68	5.8	127	10.8	

## Depression and anxiety in early pregnancy using DASS-21

	Depre	ession	Anxiety		
	n = 1179	%	n = 1176	%	
Normal	877	74.4	656	55.9	
Mild	102	8.7	202	17.2	
Moderate	104	8.8	115	9.8	
Severe	28	2.4	75	6.4	
Extremely severe	68	5.8	127	10.8	

## Depression and anxiety in early pregnancy using DASS-21

	Depre	ession	Anx		
	n = 1179	%	n = 1176	%	
Normal	877	74.4	656	55.9	
Mild	102	8.7	202	17.2	
Moderate	104	8.8	115 25.7%	9.8	4.2%
Severe	28	2.4	75	6.4	
Extremely severe	68	5.8	127	10.8	








- Depression is common in pregnancy
- But anxiety is the most common mental health disorder and while it can co-exist with depression it also can exist in isolation from depression
- Anxiety is often thought of as being the same as / part of depression
- But women can be experiencing the distress of anxiety without experiencing depression.





### Conclusion and key message

If we only ask women about depression, we may miss women who experience the distress of anxiety






Future work

- The MAMMI study is ongoing
  - Sample size is 2,600 over three hospital sites
     (3<sup>rd</sup> site commencing in September 2014 Research Ethics Committee approval granted)
- Detailed analyses are required before data are truly understood and statistical significance and associations are ascertained
  - Only then can modifiable factors be identified

http://www.mammi.ie/







All-Ireland Hul

#### Thank you

### Thanks to the conference organisers and scientific committee for the opportunity to present

http://www.mammi.ie/

